

Great Ideas in Theoretical CS

Lecture 19:
Computational Social Choice

Anil Ada
Ariel Procaccia (this time)

SOCIAL CHOICE THEORY

- A mathematical theory that deals with aggregation of individual preferences
- Origins in ancient Greece
- Formal foundations: 18th Century (Condorcet and Borda)
- 19th Century: Charles Dodgson
- 20th Century: Nobel prizes to Arrow and Sen



THE VOTING MODEL


- Set of voters $N = \{1, \dots, n\}$
- Set of alternatives A ;
denote $|A| = m$
- Each voter has a ranking over the alternatives
- Preference profile = collection of all voters' rankings

1	2	3
<i>a</i>	<i>c</i>	<i>b</i>
<i>b</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>b</i>	<i>a</i>

VOTE OVER CUISINES



Indian
(In)



Japanese
(J)



Chinese
(C)



Italian
(It)



Mexican
(M)

VOTING RULES

- **Voting rule** = function from preference profiles to alternatives that specifies the winner of the election
- **Plurality**
 - Each voter awards one point to top alternative
 - Alternative with most points wins
 - Used in almost all political elections



MORE VOTING RULES

- Borda count
 - Each voter awards $m - k$ points to alternative ranked k 'th
 - Alternative with most points wins
 - Proposed in the 18th Century by the chevalier de Borda
 - Used for national elections in Slovenia
 - Similar to rule used in the Eurovision song contest



Lordi

Eurovision 2006 winners

MORE VOTING RULES

- x beats y in a **pairwise election** if the majority of voters prefer x to y
- **Plurality with runoff**
 - First round: two alternatives with highest plurality scores survive
 - Second round: pairwise election between these two alternatives



MORE VOTING RULES

- Single Transferable vote (STV)
 - $m - 1$ rounds
 - In each round, alternative with least plurality votes is eliminated
 - Alternative left standing is the winner
 - Used in:
 - Ireland, Malta, Australia, and New Zealand
 - US: Maine (governor, US congress), cities like San Francisco and Cambridge



STV: EXAMPLE

2 voters	2 voters	1 voter
<i>a</i>	<i>b</i>	<i>c</i>
<i>b</i>	<i>a</i>	<i>d</i>
<i>c</i>	<i>d</i>	<i>b</i>
<i>d</i>	<i>c</i>	<i>a</i>

2 voters	2 voters	1 voter
<i>a</i>	<i>b</i>	<i>c</i>
<i>b</i>	<i>a</i>	<i>b</i>
<i>c</i>	<i>c</i>	<i>a</i>

2 voters	2 voters	1 voter
<i>a</i>	<i>b</i>	<i>b</i>
<i>b</i>	<i>a</i>	<i>a</i>

2 voters	2 voters	1 voter
<i>b</i>	<i>b</i>	<i>b</i>



SOCIAL CHOICE AXIOMS

- How do we choose among the different voting rules? Via desirable properties!
- **Majority consistency** = if a majority of voters rank alternative x first, then x should be the winner
- **Poll 1:** Which rule is **not** majority consistent?
 1. Plurality
 2. Plurality with runoff
 3. Borda count
 4. STV



MARQUIS DE CONDORCET

- 18th Century French Mathematician, philosopher, political scientist
- One of the leaders of the French revolution
- After the revolution became a fugitive
- His cover was blown and he died mysteriously in prison



CONDORCET WINNER

- Recall: x beats y in a **pairwise election** if a majority of voters rank x above y
- **Condorcet winner** beats every other alternative in pairwise election
- **Condorcet paradox** = cycle in majority preferences

1	2	3
a	c	b
b	a	c
c	b	a



CONDORCET CONSISTENCY

- Condorcet consistency = select a Condorcet winner if one exists
- **Poll 2:** Which rule is Condorcet consistent?
 1. Plurality
 2. Borda count
 3. Both
 4. Neither



MORE VOTING RULES

- Copeland
 - Alternative's score is #alternatives it beats in pairwise elections
 - Why does Copeland satisfy the Condorcet criterion?



AWESOME EXAMPLE

- Plurality: a
- Borda: b
- Condorcet winner: c
- STV: d
- Plurality with runoff: e

33 voters	16 voters	3 voters	8 voters	18 voters	22 voters
a	b	c	c	d	e
b	d	d	e	e	c
c	c	b	b	c	b
d	e	a	d	b	d
e	a	e	a	a	a



MANIPULATION

- Using Borda count
- Top profile: b wins
- Bottom profile: a wins
- By changing his vote, voter 3 achieves a better outcome!
- Borda's response: "My scheme is intended only for honest men!"

1	2	3
b	b	a
a	a	b
c	c	c
d	d	d

1	2	3
b	b	a
a	a	c
c	c	d
d	d	b


STRATEGYPROOFNESS

- A voting rule is **strategyproof (SP)** if a voter can never benefit from lying about his preferences
- **Poll 3:** What is the largest value of m for which plurality is SP?
 1. $m = 1$
 2. $m = 2$
 3. $m = 3$
 4. $m = \infty$



STRATEGYPROOFNESS

- A voting rule is **dictatorial** if there is a voter who always gets his most preferred alternative
- A voting rule is **constant** if the same alternative is always chosen
- Constant functions and dictatorships are SP



Dictatorship



Constant function

GIBBARD-SATTERTHWAITE

- A voting rule is **onto** if any alternative can win
- **Theorem (Gibbard-Satterthwaite):**
If $m \geq 3$ then any voting rule that is SP and onto is dictatorial
- In other words, any voting rule that is onto and nondictatorial is manipulable



Gibbard



Satterthwaite

COMPLEXITY OF MANIPULATION

- Manipulation is always possible in theory
- But can we design voting rules where it is difficult in practice?
- Are there “reasonable” voting rules where manipulation is a hard computational problem? [Bartholdi et al. 1989]



THE COMPUTATIONAL PROBLEM

- f -MANIPULATION problem:
 - Given votes of nonmanipulators and a preferred alternative p
 - Can manipulator cast vote that makes p **uniquely** win under f ?
- Example: Borda, $p = a$

1	2	3
b	b	
a	a	
c	c	
d	d	

1	2	3
b	b	a
a	a	c
c	c	d
d	d	b

A GREEDY ALGORITHM

- Rank p in first place
- While there are unranked alternatives:
 - If there is an alternative that can be placed in next spot without preventing p from winning, place this alternative
 - Otherwise return false



EXAMPLE: BORDA

1	2	3	1	2	3	1	2	3
<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>
<i>a</i>	<i>a</i>		<i>a</i>	<i>a</i>	<i>b</i>	<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>c</i>		<i>c</i>	<i>c</i>		<i>c</i>	<i>c</i>	
<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>	

1	2	3	1	2	3	1	2	3
<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>a</i>
<i>a</i>	<i>a</i>	<i>c</i>	<i>a</i>	<i>a</i>	<i>c</i>	<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>c</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>d</i>	<i>c</i>	<i>c</i>	<i>d</i>
<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>		<i>d</i>	<i>d</i>	<i>b</i>




WHEN DOES THE ALG WORK?

- **Fact:** The greedy algorithm is a polynomial-time algorithm for R -MANIPULATION for $R \in \{\text{plurality, Borda count, plurality with runoff, Copeland, ...}\}$
- **Theorem [Bartholdi and Orlin, 1991]:** The STV-MANIPULATION problem is NP-complete!



IS SOCIAL CHOICE PRACTICAL?

- UK referendum: Choose between plurality and STV as a method for electing MPs
- Academics agreed STV is better...
- ... but STV seen as beneficial to the hated Nick Clegg
- Hard to change political elections!



COMPUTATIONAL SOCIAL CHOICE


- However:
 - in online voting...
 - in human computation...
 - in multiagent systems...

the designer is free to employ any voting rule!



AI-Driven Decisions

RoboVote is a free service that helps users combine their preferences or opinions into optimal decisions. To do so, RoboVote employs state-of-the-art voting methods developed in artificial intelligence research. [Learn More](#)



Poll Types

RoboVote offers two types of polls, which are tailored to different scenarios; it is up to users to indicate to RoboVote which scenario best fits the problem at hand.



Objective Opinions

In this scenario, some alternatives are objectively better than others, and the opinion of a participant reflects an attempt to estimate the correct order. RoboVote's proposed outcome is guaranteed to be as close as possible — based on the available information — to the best outcome. Examples include deciding which product prototype to develop, or which company to invest in, based on a metric such as projected revenue or market share. [Try the demo.](#)



Subjective Preferences

In this scenario participants' preferences reflect their subjective taste; RoboVote proposes an outcome that mathematically makes participants as happy as possible overall. Common examples include deciding which restaurant or movie to go to as a group, which destination to choose for a family vacation, or whom to elect as class president. [Try the demo.](#)

Ready to get started?

[CREATE A POLL](#)

SUMMARY

- Terminology:
 - Plurality, Borda count, plurality with runoff, STV, Copeland
 - Majority consistency
 - Condorcet winner, Condorcet consistency
 - Strategyproofness
 - The Gibbard-Satterthwaite Thm
- Principles:
 - NP-hardness can be good!

