

Optimized Democracy (Spring 2022)

Assignment #3

Ariel Procaccia (instructor), Daniel Halpern (TF), and Haneul Shin (TF)

Due: 3/11/2021 11:59pm ET

Instructions:

- It is fine to look up a complicated sum or inequality, but please do not look up an entire solution. In particular, the solutions to many of the problems that we give can be found in papers, but, needless to say, you should avoid reading the proof if you come across the relevant paper. If for some reason you did see the solution before working it out yourself, please say so in your solution.
- You may discuss the problems with classmates but please write down solutions completely on your own.
- Please *type up* your solution and submit to Gradescope.

Problems:

1. In class we discussed notions of proportionality for approval-based elections like extended justified representation (EJR), which only guarantees that one voter in each “deserving” coalition is satisfied. In this problem our goal is to provide guarantees that hold *on average*.

Recall that in the approval-based committee elections settings we have a set N of n voters and a target committee size k , where each voter $i \in N$ approves a set of alternatives $\alpha_i \subseteq A$. Let $q := \frac{n}{k}$. We say that a set of $S \subseteq N$ of voters is ℓ -cohesive if $|S| \geq \ell \cdot q$ and $|\bigcap_{i \in S} \alpha_i| \geq \ell$. As in class, we write $u_i(W) = |W \cap \alpha_i|$.

- (a) **[15 points]** Assume that q is an integer. Suppose that a committee $W \subseteq A$, $|W| = k$, satisfies Extended Justified Representation (EJR), so for each $1 \leq \ell \leq k$ and every ℓ -cohesive group S , there exists $i \in S$ with $u_i(W) \geq \ell$. Now let S be an ℓ -cohesive group with $|S| = \ell \cdot q$. Prove that

$$\sum_{i \in S} \frac{1}{|S|} u_i(W) \geq \frac{\ell - 1}{2},$$

that is, S obtains high average utility.

Note: With more work it can be shown that it is possible to achieve average utility at least $\ell - 1$ for ℓ -cohesive groups.

- (b) [25 pt] Prove that for all $\varepsilon > 0$, there exists an election such that, no matter which committee is chosen, there is a 1-cohesive group S that has average utility at most ε . More formally, there is a set N of n voters, a set A of m alternatives, target committee size k , and approval set $\alpha_i \subseteq A$ for each $i \in N$, such that the following holds. For all committees $W \subseteq A$ with $|W| = k$, there is a set of voters S with $|S| \geq n/k$ and $|\bigcap_{i \in S} \alpha_i| \geq 1$ such that,

$$\sum_{i \in S} \frac{1}{|S|} u_i(W) \leq \varepsilon.$$

Note: With more work it can be shown that there exist elections such that no matter which committee is chosen, there is an ℓ -cohesive group with average utility at most $\ell - 1 + \varepsilon$. This means the lower bound mentioned in the note in part (a) is tight.

Hint: Construct a family of instances with $m = k + 1$ alternatives where each voter approves either one or two alternatives.

2. Consider the cake cutting problem with n players and valuation functions V_1, \dots, V_n satisfying additivity, normalization, and divisibility. Denote the *social welfare* of an allocation \mathbf{A} by $\text{sw}(\mathbf{A}) = \sum_{i=1}^n V_i(A_i)$.

- (a) [35 points] Show that, for all valuation functions V_1, \dots, V_n ,

$$\frac{\sup\{\text{sw}(\mathbf{A}) : \mathbf{A} \text{ is an allocation of the cake}\}}{\sup\{\text{sw}(\mathbf{A}) : \mathbf{A} \text{ is a proportional allocation of the cake}\}} = O(\sqrt{n}).$$

Hint: For an allocation \mathbf{A}^* with maximum social welfare, let $L = \{i \in N : V_i(A_i^*) \geq 1/\sqrt{n}\}$. Analyze two cases: $|L| \geq \sqrt{n}$ and $|L| < \sqrt{n}$. The latter case is easy. For the former case, the idea is to convert \mathbf{A}^* into a proportional allocation with high social welfare, as follows. For each $i \in N \setminus L$, reallocate A_i^* among players in $N \setminus L$ using a proportional allocation; and for each $i \in L$, reallocate A_i^* among the players in $\{i\} \cup (N \setminus L)$ using a proportional allocation with \sqrt{n} “copies” of player i .

- (b) [25 points] Give a family of examples of V_1, \dots, V_n (one example for each value of n) such that

$$\frac{\sup\{\text{sw}(\mathbf{A}) : \mathbf{A} \text{ is an allocation of the cake}\}}{\sup\{\text{sw}(\mathbf{A}) : \mathbf{A} \text{ is a proportional allocation of the cake}\}} = \Omega(\sqrt{n}).$$